

# SQUARE FIELD OUTPUT FACTORS: 3 I 002-368

CLINAC: 2300C/D  
S/N: 156

ENERGY: 6MV  
DATE: 12 Feb. 2009

PHANTOM: MP3 with Trifix  
VOLTAGE: +400V

SSD: 90 cm  
DEPTH: 10 cm

## RAW DATA

MEASUREMENT	1X1	2X2	3X3	4X4	5X5	7X7	10X10	15X15	20X20	30X30	40X40
1	0.4567	0.5739	0.6084	0.6342	0.6558	0.6916	0.7342	0.7771	0.8066	0.8480	0.8753
2	0.4567	0.5737	0.6086	0.6336	0.6555	0.6921	0.7340	0.7766	0.8069	0.8485	0.8746
3	0.4594	0.5740	0.6084	0.6340	0.6548	0.6912	0.7319	0.7720	0.8072	0.8478	0.8751
4	0.4594	0.5741	0.6086	0.6333	0.6550	0.6912	0.7321	0.7771	0.8070	0.8474	0.8751
5	0.4565	0.5739		0.6334		0.6909	0.7325	0.7770	0.8069	0.8483	0.8746
6	0.4566						0.7320				
7							0.7319				
8							0.7331				
9							0.7334				
10							0.7331				
11											
12											
13											
Average	0.4576	0.5739	0.6085	0.6337	0.6553	0.6914	0.7328	0.7760	0.8069	0.8480	0.8749
Std Dev	0.0014	0.0001	0.0001	0.0004	0.0005	0.0005	0.0009	0.0022	0.0002	0.0004	0.0003
SDOM	0.0006	0.0001	0.0001	0.0002	0.0002	0.0002	0.0003	0.0010	0.0001	0.0002	0.0001

## OUTPUT FACTORS

FIELD	1	2	3	4	5	7	10	15	20	30	40
OF	0.6244	0.7832	0.8304	0.8647	0.8942	0.9435	1.0000	1.0589	1.1011	1.1572	1.1939
SDOM	0.0006	0.0003	0.0003	0.0003	0.0004	0.0003	0.0004	0.0010	0.0003	0.0003	0.0003
SDOM [%]	0.10	0.04	0.03	0.04	0.04	0.04	0.04	0.10	0.03	0.03	0.03

OF 6MV 3 I 002-368

